

#### MISSISSIPPI STATE DEPARTMENT OF HEALTH

#### BUREAU OF PUBLIC WATER SUPPLY

# CALENDAR YEAR 2009 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM BOYLE SKENE WAH Public Water Supply Name OCIOCH OCIOCOST List PWS ID #s for all Water Systems Covered by this CCR

The Federal Safe Drinking Water Act requires each *community* public water system to develop and distribute a consumer confidence report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR must be mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request.

Pleas	e Answer the Following Questions Regarding the Consumer Confidence Report	
	Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)	
	Advertisement in local paper On water bills Other	
	Date customers were informed: <u>\( \lambda \lam</u>	
	CCR was distributed by mail or other direct delivery. Specify other direct delivery methods:	
	Date Mailed/Distributed:/_/	
	CCR was published in local newspaper. (Attach copy of published CCR or proof of publication)  Name of Newspaper: Boliva Commercial	
	Date Published: <u>Le /22/10</u>	
	CCR was posted in public places. (Attach list of locations)	
	Date Posted://	
	CCR was posted on a publicly accessible internet site at www	
CER'	TIFICATION	
syster and co	by certify that a consumer confidence report (CCR) has been distributed to the customers of this public want in the form and manner identified above. I further certify that the information included in this CCR is transferred and is consistent with the water quality monitoring data provided to the public water system officials ississippi State Department of Health, Bureau of Public Water Supply.	ue
<b>S</b> Name	The Commander G-25-10  Title (President, Mayor, Owner, etc.)  Date	

Mail Completed Form to: Bureau of Public Water Supply/F.O. Box 1700/Jackson, MS 39215 Phone: 601-376-7518

GEGENVED-WATER SUPE

2010 JUN -2 PM 12: 14

#### 2009 Annual Drinking Water Quality Report Boyle Skene Water Association PWS#: 0060044, 0060047, 0060050 & 0060051 June 2009

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Sparta Sand Formation Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. The general susceptibility rankings assigned to each well of this system are provided immediately below. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Boyle Skene Water Association have received moderate susceptibility rankings to contamination.

If you have any questions about this report or concerning your water utility, please contact Mike Tarver at 662.588.7061. We want our valued customers to be informed about their water utility. If you want to learn more, please attend a special meeting being held on

at	at the			are the contract of the contra	Joing Hold of
We routinely monitor for cor	nstituents in your drinkir	ng water according to Fed	eral and State laws.	This table below lists all	of the drinking
water contaminants that we	ere detected during the	period of January 1st to	December 31st, 20	09. In cases where mor	nitoring wasn't
required in 2009, the table	reflects the most rece	ent results. As water trav	els over the surfact	e of land or underground	d. it dissolves
naturally occurring minerals	and, in some cases, ra	adioactive materials and o	can pick up substand	ces or contaminants from	the presence
of animals or from human a	ctivity; microbial contan	ninants, such as viruses a	and bacteria, that ma	v come from sewage tre	atment plants
septic systems, agricultural	livestock operations, ar	nd wildlife: inorganic conta	aminants, such as sa	alts and metals, which ca	ın he naturally
occurring or result from urt	oan storm-water runoff.	industrial, or domestic v	wastewater dischard	es, oil and gas production	on mining or
farming; pesticides and he	rbicides, which may co	ome from a variety of so	ources such as agric	culture, urban storm-wate	er runoff and
residential uses; organic ch	emical contaminants. ir	cluding synthetic and vol	atile organic chemic	als which are by-produc	ts of industrial
processes and petroleum pr	oduction, and can also	come from gas stations a	and septic systems: r	radioactive contaminants	which can he
naturally occurring or be the	result of oil and gas pro	oduction and mining activ	ities In order to ens	sure that tan water is safe	to drink FDA
prescribes regulations that	limit the amount of ce	ertain contaminants in wa	ater provided by put	nlic water eveteme All d	rinking water
including bottled drinking wa	ater may be reasonably	expected to contain at l	east small amounts	of some constituents. It'	s important to
remember that the presence	of these constituents of	loes not necessarily indica	ate that the water no	ses a health risk	3 important to

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal"(MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) – The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

PWS ID #	0060044			TEST RESUI	LTS			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination

10. Barium	N	2008*	.002	No Range	pţ	om	2		Discharge of drilling wastes;     discharge from metal refineries;     erosion of natural deposits
14. Copper	N	2008*	.3	0	pr	om	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2008*	.266	.256266	pr	om	4		Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2008*	3	0	pr	ob	C	AL=1	Corrosion of household plumbing systems, erosion of natural deposits
21. Selenium	N	2008*	.692	No Range	þt	bb	50	50	Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines
Disinfection	n <b>By</b> -]	Products	7	No Range	Lanh		0.1	60 I	By-Product of drinking water
61. HAA5	l N	2006	. <i>'</i>	No Range	ppb		١ .	00	disinfection.
82. TTHM [Total trihalomethanes]	N	2008*	5	1.06 - 8.61	ppb		0	80	By-product of drinking water chlorination.
Chlorine	N	2009	1.8	.6 – 1.8	ppm		0 M	ORL = 4	Water additive used to control microbes

PWS ID#	0060047	7		<b>TEST RES</b>	ULTS			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects # of Samples Exceeding MCL/ACL	or Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
Inorganic (	Contam	inants						
10. Barium	N	2008*	.002	No Range	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
14. Copper	N	2008*	.7	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2008*	.283	No Range	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2008*	12	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
21. Selenium	N	2008*	1.4	No Range	ppb	50	50	Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines
Disinfectio	n By-Pr	oducts						
82. TTHM [Total trihalomethanes]	N 2	2008* 2	.03 N	o Range p	pb	0		By-product of drinking water chlorination.
Chlorine	N 2	2009 .5	5 .3	35 <b>-</b> .5 p	pm	0 ME		Water additive used to control microbes

PWS ID#0	0060050	)		TEST RES	SULTS	5			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detect # of Samples Exceeding MCL/ACL	Mea	nit asure ient	MCLG	MCL	Likely Source of Contamination
Inorganic (	Contam	inants							
10. Barium	N	2008*	.002	No Range	ppm	1	2	2	Discharge of drilling wastes;     discharge from metal refineries;     erosion of natural deposits
14. Copper	N	2008*	.7	0	ppm	1	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2008*	.288	.282288	ppm	١	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer an aluminum factories
17. Lead	N	2008*	4	0	ppb		0	AL=1	<ul> <li>Corrosion of household plumbing systems, erosion of natural deposits</li> </ul>
21. Selenium	N	2008*	1.1	No Range	ppb		50	50	D Discharge from petroleum and metal refineries; erosion of natura deposits; discharge from mines
Disinfection	n By-Pı	oducts							
81. HAA5			6	No Range	ppb		0	60	By-Product of drinking water disinfection.
82. TTHM [Total trihalomethanes]	N	2008*	1.91	No Range	ppb		0	80	By-product of drinking water chlorination.
Chlorine	N	2009	5 1	No Range	ppm		0 MD	RL = 4	Water additive used to control microbes

PWS ID#	0060051			TEST RES	ULTS			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects # of Samples Exceeding MCL/ACL	or Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
Inorganic (	Contam	inants						
10. Barium	N	2008*	.006	No Range	ppm	2	2	Discharge of drilling wastes;     discharge from metal refineries;     erosion of natural deposits
14. Copper	N	2009	.5	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2008*	.32	.2832	ppm	4	2	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2009	7	0	ppb	0	AL=15	5 Corrosion of household plumbing systems, erosion of natural deposits
21. Selenium	N	2008*	1.3	1.1 1.3	ppb	50	50	D Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines
Disinfection	n By-Pr	oducts						
82. TTHM [Total trihalomethanes]	<del></del>		1.87 N	lo Range p	pb	0	80	By-product of drinking water chlorination.
Chlorine	N :	2009	۸ 00.	lo Range p	pm	0 ME	)RL = 4	Water additive used to control microbes

\* Most recent sample. No sample required for 2009.

As you can see by the table, our system had no violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected however the EPA has determined that your water IS SAFE at these levels.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. We did complete the monitoring requirements for bacteriological sampling that showed no coliform present. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing for \$10 per sample. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

The Boyle Skene Water Association works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

#### PROOF OF PUBLICATION

2010 JUN 28 AM 9: 52

## STATE OF MISSISSIPPI, COUNTY OF BOLIVAR.

Personally appeared before me, the undersigned authority in and for the County of Bolivar, State of Mississippi, MARK S. WILLIAMS, Publisher of THE BOLIVAR COMMERCIAL, daily newspaper and published in the City of Cleveland, in said Country and State who, on oath, deposes and says that The Bolivar Commercial is a newspaper as defined and prescribed in Senate Bill No. 203 enacted at the regular session of the Mississippi Legislature of 1948, amending Section 1958 of the Miss. Code of 1942, and that the publication of which the instrument annexed is a true copy, was published in said paper, to wit:

In Volume 44	No. 101	Dated <u>Ju</u>	ue. 22	20 10
In Volume				
In Volume	No	Dated	****	_ 20
In Volume	No	Dated		_ 20
In Volume	No	Dated		_ 20
In Volume	No	Dated	**************************************	20
and that said newspaper "h first publication" of this no  Sworn to and subsc day of	eribed before	e me this the	Separation of the separation o	Tublisher
V		Orace	<i>Mala</i> Notary Publ	arryson
My Commission ex	pires			
Publishers's Fee \$	· · ·			

### 2009 Annual Drinking Water Quality Report Boyle Skene Water Association PWS#: 0060044, 0060047, 0060050 & 0060051 June 2009

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Sparta Sand Formation Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. The general susceptibility rankings assigned to each well of this system are provided immediately below. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Boyle Skene Water Association have received moderate susceptibility rankings to contamination.

If you have any questions about this report or concerning your water utility, please contact Mike Tarver at 662.588.7061. We want our valued customers to be informed about their water utility. If you want to learn more, please attend a special meeting being held on June 29 at 5:00 pm at the office.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that were detected during the period of January 1st to December 31st, 2009. In cases where monitoring wasn't required in 2009, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife, inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituent does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions.

Action Level - The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level - (MCL)The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal - (MCLG) The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

<u>Maximum Residual Disinfectant Level (MRDL)</u> - The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) - The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - One part per million corresponds to one minute in two years or a single penny in \$10,000. Parts per hillion (pph) or Micrograms per liter - One part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

PWS ID#0				TEST RESU	LTS				
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples	Unit Measure	MCLG	MCL	Likely Source of Contamination	
	3346233			Exceeding MCL/ACL	-ment				

10. Barium	N	2008	.002	No Range		ppm		2		2 Discharge of drilling wastes;
14. Copper	- IN				4.					discharge from metal refineries; erosion of natural deposits
16. Fluoride	N N	2008*		0		ppm		1.3	AL≒1.	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
17. Lead	N.	2008*	.266	.256266		ppm		4		4 Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
21. Seleniúm	IN	2008*	3	0		ppb		0	AL=1	
	<u> </u>	2006	.692	No Range		ppb		50	50	Discharge from petroleum and metal refineries; erosion of natura deposits; discharge from mines
Disinfectio	n By-	Produc	ts							
31. HAA5	N	2008*	7	No Range	dqq		0		60 [	By-Product of drinking water
32. TTHM Total rihalomethanes]	N	2008*	5	1.06 - 8.61	ppb		0	13.7%	80	disinfection.  By-product of drinking water chlorination.
Chlorine	N	2009	1.8	.6 – 1.8	ppm	+	0	MDR		Water additive used to control

PWS ID#0	060047			TEST RESUI	JTS			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination

10. Barlum	N	2008*	.002	No Range	ı	pm	2		Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
14. Copper	N 91731	2008*	.7	0	1	ppm	1.3	AL=1.	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N.OGOTO	2008*	.283	No Range	F	pm	4		<ul> <li>Erosion of natural deposits, water additive which promotes strong teeth; discharge from fertilizer and aluminum factories</li> </ul>
17. Lead	N	2008*	12	0	F	pb	0	AL=18	Corrosion of household plumbing systems, erosion of natural deposits
21. Selenium	l <sup>N</sup>	2008*	1.4	No Range		pb ·	* 50	50	Discharge from petroleum and metal refineries; erosion of natura deposits; discharge from mines
Disinfectio	n By-Pr	oduct:	S						
82. TTHM  Total  rihalomethanes]	N 2	008*	2.03	No Range	ppb	T	0	80	By-product of drinking water chlorination.
Chlorine	N 2	.008	.5	.355	ppm		O MDI		Water additive used to control microbes

PWS ID#	006005	0		TEST	RESU.	LTS				
Contaminant	Violation Y/N	1 Date Collecte	d Detecti		mples iding	Unit Measure -ment	MCL	3 N	CL.	Likely Source of Contamination
Inorganic	Contan	ninants								
10. Barlum	N	2008*	.002	No Range		ppm		2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
14. Copper	N	2008*	7	0		ppm	1	.3 AL	=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2008*	.286	.282288		ppm		4	4	Erosion of natural deposits, water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2008*	4	0		ppb		O AL	<b>≂1</b> 5	Corrosion of household plumbing systems, erosion of natural deposits
21. Selenium	l N	2008*	1.1	No Range		ppb	•	50	50	Discharge from petroleum and metal refineries; erosion of natura deposits; discharge from mines
Disinfectio	n By-Pı	roducts								
81. HAA5	N	2008*	6	No Range	ppb		o	6		By-Product of drinking water disinfection
82. TTHM [Total trihalomethanes]	N	2008*	1.91	No Range	ppb		0	В		By-product of drinking water chlorination.
Chlorine	N	2009	.5	No Range	ppm		0 N	IDRL =		Water additive used to control

16. Fluoride	N	2008*	.288	.282288		ppm		4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2008*	4	0		ppb		0	AL=15	
21. Selenium	N	2008*	1.1	No Range		ppb		50	50	
Disinfection	ın By-P	'roduct	S							
81. HAA5	N.	2008*	6	No Range	ppb		0		60	By-Product of drinking water disinfection.
82. TTHM [Yotal trihalomethanes]	N	2008*	1.91	No Range	ppb		ō		80	By-product of drinking water chlorination.
Chlorine	N	2009	.5	No Range	ppm		0	MDI		Water additive used to control microbes
Inòrganic	 Contan	ainants		IMCL/A	<b>3L</b>	<u> </u>				La article de la companya del companya del companya de la companya
Inorganic ( 10. Barlum	Contan	2008*	.006	No Range		ppm	T	2	2	Discharge of drilling wastes; discharge from metal refineries:
14. Copper	N.	2009	.5	o		ppm	+	1.3	AL=1.3	erosion of natural deposits  Corrosion of household plumbing
										systems; erosion of natural deposits; leaching from wood
	N	2008*	.32	.2832		ppm		4	4	systems; erosion of natural deposits; leaching from wood preservatives  Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and
17. Lead	N N	2008*	.32	.2832 0	1	ppm		4		systems; erosion of natural deposits; leaching from wood preservatives  Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories  Corrosion of household plumbing systems, erosion of natural
17. Lead 21. Selenium	N N	2009	7   13		1				4	systems; erosion of natural deposits; leaching from wood preservatives  Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories  Corrosion of household plumbing
17. Lead  21. Selenium  Disinfectio	N N	2009	7   13	0		ppb		0	4 AL=15	systems; erosion of natural deposits; leaching from wood preservatives Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories Corrosion of household plumbing systems, erosion of natural deposits Discharge from petroleum and metal refineries; erosion of natural
16. Fluoride  17. Lead  21. Selenium  Disinfection 82. TTHM [Total trihalomethanes]	n By-Pi	2009	7 1.3	0	, ppb	ppb	•	0	AL=15 50	systems; erosion of natural deposits; leaching from wood preservatives Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories Corrosion of household plumbing systems, erosion of natural deposits Discharge from petroleum and metal refineries; erosion of natural

-Most recent sample. We sample required for 2009

As you can see by the lable, our system flad 'no violatione, We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned thousever the EPA has determined that your water IS SAFE at these levels.

Our monitoring and resting that some constituents have been deterded however the EPA has determined that your water the seed of whether or not our drinking water to reposite constituents on a monthly basis. Results of the configuration of whether or not our drinking water to repet the monitoring requirements for backetological sampling that some constituents are sent our sent of the compliance period.

We are required to monitor your drinking water for special problems, especially to pregnant women and young children. Lead in drinking water to report materials and the sent of the constituents of the sent of the compliance period.

We are required to monitor your drinking water to repet the monitoring requirements to backetological sampling that water the sent of the compliance period.

If presents, elevated the sent of sent cause sent our health objects the compliance period.

If presents, elevated the sent of the compliance period in the sent of the compliance period.

If presents, elevated the sent of the compliance period in the sent of the configuration of the period of the sent of the configuration of the problems of the sent of the configuration of the problems of the period period in the sent of the